

Package: CombinS (via r-universe)

September 5, 2024

Type Package

Title Construction Methods of some Series of PBIB Designs

Version 1.1-1

Date 2016-11-22

Author Mohamed Laib, Imane Rezgui, Zebida Gheribi-Aoulmi and Herve Monod

Maintainer Mohamed Laib <laib.med@gmail.com>

Description Series of partially balanced incomplete block designs (PBIB) based on the combinatory method (S) introduced in (Imane Rezgui et al, 2014) <doi:10.3844/jmssp.2014.45.48>; and it gives their associated U-type design.

Imports stats, utils

URL 'www.sites.google.com/site/mohamedlaibwebpage'

License GPL-3

Encoding UTF-8

LazyData true

Note This version is a generalisation for $(v=wnl)$ treatments. In the version 1.0 we used rectangular right angular (m) association schemes with $(v=2nl)$ and $m=4,5$ and 7 associated classes. The Association schemes used in this R-package are : Rectangular association scheme; Generalized rectangular right angular association scheme (4); Generalized rectangular right angular association scheme (5); Generalized rectangular right angular association scheme (7).

RoxygenNote 5.0.1

NeedsCompilation no

Date/Publication 2016-11-23 14:09:37

Repository <https://mlaib.r-universe.dev>

RemoteUrl <https://github.com/mlaib/combins>

RemoteRef HEAD

RemoteSha 6367800782c50b1046a764251d644b6060fcb6d0

Contents

CombS	2
GPBIB4A	3
GPBIB4B	5
GPBIB5	6
GPBIB7A	8
GPBIB7B	9
UType	11

Index	12
--------------	-----------

CombS	<i>The Combinatory Method (s) for the construction of rectangular PBIB designs</i>
-------	--

Description

The application of the Combinatory Method (s), with s chosen in $[2, l-1]$, on rectangular association scheme to obtain the configuration and the parameters of the PBIB design associated.

Usage

CombS(n, l, s)

Arguments

n	Number of lines of the association schemes array.
l	Number of columns of the association schemes array.
s	Number of the token treatments from the same row of the association scheme.

Details

- For $2 < s < l$, we obtain a rectangular PBIB design.
- For $s = l$, we obtain a singular group divisible designs.

Value

A LIST :

- PBIB The configuration of the PBIB.
- Type The type of the design
- V Number of treatments.
- B Number of blocs.
- R Repetition of each treatment.
- K Size of blocs.
- lamda Vector of m-lambda.
- Resolvable Is the design Resolvable ?

Author(s)

Mohamed Laib, Imane Rezgui, Zebida Gheribi-Aoulmi and Herve Monod

References

Imane Rezgui, Z. Gheribi-Aoulmi (2014). New construction method of rectangular partially balanced incomplete block designs and singular group divisible designs, *Journal of Mathematics and Statistics*, 10, 45- 48.

M.N. Vartak 1955. On an application of Kronecker product of Matrices to Statistical designs. *Ann. Math. Stat.*,26(420-438).

See Also

[UType](#)

Examples

```
## Not run:
n<-3
l<-3
s<-2
CombS(1, n, s)

## End(Not run)
```

GPBIB4A

Generalized rectangular right angular (4) design with $\lambda_4 = 0$

Description

Gives the configuration and the parametres of the design obtained by the first construction method of GPBIB_4 (see 3.1.1 of the paper rezgui et al (2015)).

Usage

GPBIB4A(n, l, s, w)

Arguments

n	Number of lines of the association schemes array.
l	Number of columns of the association schemes array.
s	Number of the token treatments from the same row of the association scheme.
w	Number of the association scheme arrays.

Details

- For $s = l$, the previous method gives configuration of nested group divisible designs.

Value

A LIST :

- PBIB The configuration of the PBIB.
- Type The type of the design
- V Number of treatments.
- B Number of blocs.
- R Repetition of each treatment.
- K Size of blocs.
- lamda Vector of m-lambda.
- Resolvable Is the design Resolvable ?

Note

For $w = 2$, the GPBIB_4 is a rectangular right angular (4) (PBIB_4)

Author(s)

Mohamed Laib, Imane Rezgui, Zebida Gheribi-Aoulmi and Herve Monod

References

Imane Rezgui, Z. Gheribi-Aoulmi and H. Monod (2015). U-type Designs via New Generalized Partially Balanced Incomplete Block Designs with $m = 4, 5$ and 7 Associated Classes, *Applied mathematics*, 6, 242-264.

Imane Rezgui, Z.Gheribi-Aoulmi and H. Monod, New association schemes with 4, 5 and 7 associated classes and their associated partially balanced incomplete block designs; *Advances and Applications in Discrete Mathematics Vol.12 Issue 2* 197-206.

See Also

[GPBIB4B](#) and [UType](#)

Examples

```
## Not run:
n<-3
l<-3
s<-3
w<-3
GPBIB4A(n, l, s, w)

## End(Not run)
```

GPBIB4B	<i>Generalized rectangular right angular (4) design with λ_4 not equal to 0</i>
---------	--

Description

Gives the configuration and the parametres of the design obtained by the seconde construction method of GPBIB_4 (see 3.1.2 of the paper rezgui et al (2015)).

Usage

GPBIB4B(n, l, s, w)

Arguments

n	Number of lines of the association schemes array.
l	Number of columns of the association schemes array.
s	Number of the token treatments from the same row of the association scheme.
w	Number of the association scheme arrays.

Value

A LIST :

- PBIB The configuration of the PBIB.
- Type The type of the design
- V Number of treatments.
- B Number of blocs.
- R Repetition of each treatment.
- K Size of blocs.
- lamda Vector of m-lambda.
- Resolvable Is the design Resolvable ?

Note

For $w = 2$, the GPBIB_4 is a rectangular right angular (4) (PBIB_4)

Author(s)

Mohamed Laib, Imane Rezgui, Zebida Gheribi-Aoulmi and Herve Monod

References

Imane Rezgui, Z. Gheribi-Aoulmi and H. Monod (2015). U-type Designs via New Generalized Partially Balanced Incomplete Block Designs with $m = 4, 5$ and 7 Associated Classes, *Applied mathematics*, **6**, 242-264.

Imane Rezgui, Z.Gheribi-Aoulmi and H. Monod, New association schemes with $4, 5$ and 7 associated classes and their associated partially balanced incomplete block designs; *Advances and Applications in Discrete Mathematics* Vol.12 Issue 2 197-206.

See Also

[GPBIB4A](#) and [UType](#)

Examples

```
## Not run:
n<-3
l<-3
s<-3
w<-3
GPBIB4B(n, l, s, w)

## End(Not run)
```

GPBIB5

Generalized rectangular right angular (5) design.

Description

gives the configuration and the parametres of the design obtained by the construction method of GPBIB_5 (see 3.2 of the paper rezgui et al (2015)).

Usage

```
GPBIB5(n, l, s, w)
```

Arguments

n	Number of lines of the association schemes array.
l	Number of columns of the association schemes array.
s	Number of the token treatments from the same row of the association scheme.
w	Number of the association scheme arrays.

Value

A LIST :

- PBIB The configuration of the PBIB.
- Type The type of the design
- V Number of treatments.
- B Number of blocs.
- R Repetition of each treatment.
- K Size of blocs.
- lamda Vector of m-lambda.
- Resolvable Is the design Resolvable ?

Note

For $w = 2$, the GPBIB_5 is a rectangular right angular (5) (PBIB_5).

Author(s)

Mohamed Laib, Imane Rezgui, Zebida Gheribi-Aoulmi and Herve Monod

References

Imane Rezgui, Z. Gheribi-Aoulmi and H. Monod (2015). U-type Designs via New Generalized Partially Balanced Incomplete Block Designs with $m = 4, 5$ and 7 Associated Classes, *Applied mathematics*, 6, 242-264.

Imane Rezgui, Z.Gheribi-Aoulmi and H. Monod, New association schemes with 4, 5 and 7 associated classes and their associated partially balanced incomplete block designs; *Advances and Applications in Discrete Mathematics Vol.12 Issue 2* 197-206.

See Also

[UType](#)

Examples

```
## Not run:
n<-3
l<-3
s<-3
w<-3
GPBIB5(n, l, s, w)

## End(Not run)
```

GPBIB7A	<i>Generalized rectangular right angular (7) design with λ_i equal to $\lambda_i + 4$ ($i = 1, \dots, 4$)</i>
---------	--

Description

gives the configuration and the parametres of the design obtained by the first construction method of GPBIB_7 (see 3.3.1 of the paper rezgui et al (2015))

Usage

GPBIB7A(n, l, s, w)

Arguments

n	Number of lines of the association schemes array.
l	Number of columns of the association schemes array.
s	Number of the token treatments from the same row of the association scheme.
w	Number of the association scheme arrays.

Value

A LIST :

- PBIB The configuration of the PBIB.
- Type The type of the design
- V Number of treatments.
- B Number of blocs.
- R Repetition of each treatment.
- K Size of blocs.
- lambda Vector of m-lambda.
- Resolvable Is the design Resolvable ?

Note

For $w = 2$, the GPBIB_7 is a rectangular right angular (7) (PBIB_7).

Author(s)

Mohamed Laib, Imane Rezgui, Zebida Gheribi-Aoulmi and Herve Monod

References

Imane Rezgui, Z. Gheribi-Aoulmi and H. Monod (2015). U-type Designs via New Generalized Partially Balanced Incomplete Block Designs with $m = 4, 5$ and 7 Associated Classes, *Applied mathematics*, **6**, 242-264.

Imane Rezgui, Z.Gheribi-Aoulmi and H. Monod, New association schemes with $4, 5$ and 7 associated classes and their associated partially balanced incomplete block designs; *Advances and Applications in Discrete Mathematics Vol.12 Issue 2* 197-206.

See Also

[GPBIB7B](#) and [UType](#)

Examples

```
## Not run:
n<-3
l<-3
s<-3
w<-3
GPBIB7A(n, l, s, w)

## End(Not run)
```

GPBIB7B	<i>Generalized rectangular right angular (7) design with distinct λ_i ($i=1,\dots,7$)</i>
---------	---

Description

Gives the configuration and the parametres of the design obtained by the seconde construction method of GPBIB_7 (see 3.3.2 of the paper rezgui et al (2015)).

Usage

```
GPBIB7B(n, l, s, w)
```

Arguments

n	Number of lines of the association schemes array.
l	Number of columns of the association schemes array.
s	Number of the token treatments from the same row of the association scheme.
w	Number of the association scheme arrays.

Value

A LIST :

- PBIB The configuration of the PBIB.
- Type The type of the design
- V Number of treatments.
- B Number of blocs.
- R Repetition of each treatment.
- K Size of blocs.
- lambda Vector of m-lambda.
- Resolvable Is the design Resolvable ?

Note

For $w = 2$, the GPBIB_7 is a rectangular right angular (7) (PBIB_7).

Author(s)

Mohamed Laib, Imane Rezgui, Zebida Gheribi-Aoulmi and Herve Monod

References

Imane Rezgui, Z. Gheribi-Aoulmi and H. Monod (2015). U-type Designs via New Generalized Partially Balanced Incomplete Block Designs with $m = 4, 5$ and 7 Associated Classes, *Applied mathematics*, 6, 242-264.

Imane Rezgui, Z.Gheribi-Aoulmi and H. Monod, New association schemes with 4, 5 and 7 associated classes and their associated partially balanced incomplete block designs; *Advances and Applications in Discrete Mathematics Vol.12 Issue 2* 197-206.

See Also

[GPBIB7A](#) and [UType](#)

Examples

```
## Not run:
n<-3
l<-3
s<-3
w<-3
GPBIB7B(n, l, s, w)

## End(Not run)
```

UType

U-type design via some PBIB designs

Description

Applies the Fang algorithm on our constructed designs to obtain the configuration and the parameters of the U-type design associated.

Usage

UType(lst)

Arguments

lst The output of one of our package functions.

Value

A LIST :

- v Number of runs.
- r Number of factors.
- UtypeDesign The configuration of the U-type design..

Author(s)

Mohamed Laib, Imane Rezgui, Zebida Gheribi-Aoulmi and Herve Monod

References

K.T. Fang, R.Li and A.Sudjanto (2006). Design and Modeling for Computer Experiments. Taylor & Francis Group, LLC London.

Examples

```
## Not run:  
M<-GPBIB4A(4,4,2,2)  
UType(M)  
  
## End(Not run)
```

Index

CombS, [2](#)

GPBIB4A, [3](#), [6](#)

GPBIB4B, [4](#), [5](#)

GPBIB5, [6](#)

GPBIB7A, [8](#), [10](#)

GPBIB7B, [9](#), [9](#)

UType, [3](#), [4](#), [6](#), [7](#), [9](#), [10](#), [11](#)